

DRAFT

Llano Estacado Regional Water Planning Group (Region O) 2011 Regional Water Plan Phase I Report

- 1. Estimates of Population and Water Demands for New Ethanol Industries and Expanding Dairies;**
- 2. Evaluation of Water Supplies and Desalination Costs of Dockum Aquifer Water; and**
- 3. Video Conferencing Facilities Available for Coordination Between Regions A and O.**

Prepared for:

**Llano Estacado Regional Water Planning Group
High Plains Underground Water Conservation District No. 1
Texas Water Development Board**

Prepared by:

HDR | ONE COMPANY
Many SolutionsSM

April 30, 2009

Table of Contents

<u>Section</u>	<u>Page</u>
Executive Summary.....	0-1
1 Background, Introduction, Objectives, Methods, and Data	1-1
1.1 Background and Introduction	1-1
1.2 Objectives	1-1
1.3 Methods and Data	1-3
2 Population and Water Demand.....	2-1
Executive Summary	2-1
2.1 The Ethanol Sector	2-2
2.2 The Dairy Sector	2-4
2.2.1 Revised Estimates and Projections of Numbers of Dairy Cattle and Dairy Water Demand	2-4
2.2.2 Estimates and Projections of Numbers of Dairy Workers and Dairy Worker Associated Population	2-10
2.2.3 Projections of Increased Irrigation Water Demand to Produce Feed Crops for Dairies Above 2006 Regional Water Plan	2-16
2.2.4 Projections of Total Increased Water Demand for Ethanol and Dairy Sectors of Llano Estacado Water Planning Region (Region O).....	2-17
3 Evaluation of Water Supplies from the Dockum Aquifer of Bailey, Castro, Deaf Smith, Hale, Lamb, and Parmer Counties	3-1
Executive Summary	3-1
3.1 Groundwater Availability from the Dockum Aquifer	3-2
3.1.1 Hydrogeologic Framework of Dockum	3-2
3.1.2 Location of Dockum Wells	3-15
3.1.3 Wells Depths	3-19
3.1.4 Salinity of Water in Wells	3-19
3.1.5 Groundwater in Storage.....	3-19
3.1.6 Potential Well Fields	3-22
3.2 Estimated Costs to Obtain Groundwater from Dockum Aquifer.....	3-32
3.2.1 Preliminary Well Field Designs	3-32
3.2.2 Cost Estimates for Untreated Dockum Water	3-34

3.3	Estimated Costs to Desalt Groundwater from the Dockum Aquifer....	3-37
3.3.1	Desalination System Design	3-37
3.3.1.1	Desalination Process.....	3-37
3.3.1.2	Desalination Estimated Costs.....	3-39
3.3.2	Concentrate Disposal Methods.....	3-44
3.3.2.1	Solar Evaporation Ponds—Method and Costs	3-45
3.3.2.2	Deep Well Injection—Method and Costs	3-50
3.3.3	Cost Estimates for Desalted Water.....	3-55
3.3.4	Estimated Environmental Effects of Water Management Strategies Using Dockum Aquifer Water.....	3-59
3.3.5	Summary of Costs to Obtain and Desalt Water from the Dockum Aquifer in Deaf Smith, Castro, Lamb, and Parmer Counties.....	3-60
4	Coordination of Regions A and O.....	4-1
5	Summary and Conclusions.....	5-1
6	Texas Water Development Board Comments on Draft Report, Contract No. 0704830700 and LERWPG Responses	6-1

Appendix

List of Figures

Figure		Page
2.2-1	Projected Numbers of Head of Dairy Cattle	2-7
2.2-2	Projected Dairy Water Demand	2-9
2.2-3	Projected Numbers of Dairy Workers and Associated Population	2-12
2.2-4	Projected Municipal Water Demand of Dairy Worker Associated Population	2-16
2.2-5	Projected Increased Water Demand -- Region O.....	2-19
3.1-1	Location of Study Area and Dockum in Texas	3-3
3.1-2	Location of Dockum.....	3-4
3.1-3	Regional Groundwater Flow Paths in Ogallala and Dockum	3-4
3.1-4	Top of the Dockum.....	3-7
3.1-5	Base of the Dockum	3-8
3.1-6	Thickness of the Upper Dockum.....	3-9
3.1-7	Thickness of the Lower Dockum	3-10
3.1-8	Percent Sandstone in Upper Dockum.....	3-11
3.1-9	Percent Sandstone in Lower Dockum	3-12
3.1-10	Northwest-Southeast Cross-Section of Dockum through Deaf Smith and Castro Counties	3-13
3.1-11	West-East Cross-Section of Dockum through Bailey, Lamb, and Hale Counties	3-14
3.1-12	Approximate Groundwater Levels in Lower Dockum.....	3-16
3.1-13	Approximate Salinity of Groundwater in the Lower Dockum.....	3-17
3.1-14	Location of Dockum Water Wells in TWDB Database	3-18
3.1-15	Depth of Dockum Water Wells in TWDB Database	3-20
3.1-16	Salinity of Water from Dockum water Wells in TWDB Database	3-21
3.1-17	Location of Potential Well Fields.....	3-24

List of Figures (Concluded)

<u>Figure</u>	<u>Page</u>
3.1-18 Drawdown from Potential Deaf Smith Well field.....	3-27
3.1-19 Drawdown from Potential Parmer-Castro-Lamb Well Field	3-28
3.1-20 Drawdown Hydrographs for Monitoring Wells at Center, Northern Edge, and Western Edge of Potential Deaf Smith Well Field for 0.2, 1, 3, and 10 MGD Project	3-30
3.1-21 Drawdown Hydrographs for Monitoring Wells at Center, Northern Edge, and Western Edge of Potential Parmer-Castro-Lamb Well Field for 0.2, 1, 3, and 10 MGD Projects	3-31
3.2-1 Example Well Field Layout and Design Using 3 MGD Parmer-Castro- Lamb Project	3-33
3.3-1 Costs of Desalted Dockum Aquifer Water Per 1,000 Gallons	3-63

List of Tables

<u>Table</u>	<u>Page</u>	
2.2-1	Projected Number of Head of Dairy Cattle and Projected Water Requirements for Dairy Cattle as Included in the 2006 Llano Estacado Regional Water Plan	2-5
2.2-2	Reported Number of Dairies and Average Milk Production for the Months of January 2005, January 2006, January 2007, and March 2008 .	2-6
2.2-3	Projected Numbers of Dairy Cows and Replacement Heifers for Bailey, Castro, Deaf Smith, Hale, Lamb, Parmer, Lubbock, and Terry Counties (2008 Revised).....	2-7
2.2-4	Projected Increased Numbers of Dairy Cattle (Cows and Replacement Heifers) for Bailey, Castro, Deaf Smith, Hale, Lamb, Parmer, Lubbock, and Terry Counties (Differences between 2008 Revised Projections and 2006 Regional Water Plan Projections)	2-8
2.2-5	Projected Water Demands for Dairies of Bailey, Castro, Deaf Smith, Hale, Lamb, Parmer, Lubbock, and Terry Counties (2008 Revised)	2-8
2.2-6	Differences between 2008 Revised Water Demand Projections and 2006 Regional Water Plan Projections of Dairy Water Demand for Bailey, Castro, Deaf Smith, Hale, Lamb, Parmer, Lubbock, and Terry Counties	2-10
2.2-7	Comparison of Projected Number of Dairy Workers of 2006 Regional Water Plan with Projected Number of Dairy Workers for Increased Dairy Production (2008 Revisions) for Bailey, Castro, Deaf Smith, Hale, Lamb, Parmer, Lubbock and Terry Counties	2-11
2.2-8	Comparison of Projected Number of Dairy Workers and Associated Population of 2006 Regional Water Plan with Projected Number of Dairy Workers and Associated Population for Increased Dairy Production (2008 Revisions) for Bailey, Castro, Deaf Smith, Hale, Lamb, Parmer, Lubbock and Terry Counties	2-13
2.2-9	Projected Per Capita Municipal Water Demand for Projected Population of Dairy Workers and Associated Population of Bailey, Castro, Deaf Smith, Hale, Lamb, Parmer, Lubbock, and Terry Counties.....	2-14
2.2-10	Comparisons of 2008 Revised Projections of Municipal Water Demand of Dairy Worker Associated Populations to 2006 Regional Water Plan Projections of Municipal Water Demand of Dairy Worker Associated Populations of Bailey, Castro, Deaf Smith, Hale, Lamb, Parmer, Lubbock, and Terry Counties	2-15
2.2-11	Projected Increased Irrigation Water Demand for Increased Dairy Production Above Irrigation Water Demand Projections of 2006 Regional Water Plan	2-17
2.2-12	Projected Water Demand for Ethanol and Increased Dairy Production Above Water Demand Projections of 2006 Regional Water Plan.....	2-18
3.1-1	Volume of Groundwater in Upper and Lower Dockum, by Salinity Ranges and County, in Study Area	3-23
3.2-1	Selected Features of the Eight Potential Well Fields	3-34
3.2-2	Cost Estimates for Eight Potential Well Fields	3-36

3.3-1	Desalination Process Flow Summary	3-39
3.3-2	Estimated Desalination Costs for Groundwater with TDS of 1,500 mg/L.....	3-40
3.3-3	Estimated Desalination Costs for Groundwater with TDS of 3,000 mg/L.....	3-41
3.3-4	Estimated Desalination Costs for Groundwater with TDS of 5,000 mg/L.....	3-42
3.3-5	Estimated Desalination Costs for Groundwater with TDS of 20,000 mg/L.....	3-43
3.3-6	Estimated Evaporation Pond Surface Area and Costs for Concentrate Disposal from RO Desalination of Brackish Groundwater of 1,500 mg/L of TDS for 0.2 MGD, 1 MGD, 3 MGD, and 10 MGD Sized Desalination Plants...	3-46
3.3-7	Estimated Evaporation Pond Surface Area and Costs for Concentrate Disposal from RO Desalination of Brackish Groundwater of 3,000 mg/L of TDS for 0.2 MGD, 1 MGD, 3 MGD, and 10 MGD Sized Desalination Plants...	3-47
3.3-8	Estimated Evaporation Pond Surface Area and Costs for Concentrate Disposal from RO Desalination of Brackish Groundwater of 5,000 mg/L of TDS for 0.2 MGD, 1 MGD, 3 MGD, and 10 MGD Sized Desalination Plants...	3-48
3.3-9	Estimated Evaporation Pond Surface Area and Costs for Concentrate Disposal from RO Desalination of Brackish Groundwater of 20,000 mg/L of TDS for 0.2 MGD, 1 MGD, 3 MGD, and 10 MGD Sized Desalination Plants....	3-49
3.3-10	Estimated Hydraulic Conditions and Costs for Deep Well Injection of Concentrate from RO Desalination of Brackish Groundwater of 1,500 mg/L of TDS for 0.2 MGD, 1 MGD, 3 MGD, and 10 MGD Sized Desalination Plants...	3-52
3.3-11	Estimated Hydraulic Conditions and Costs for Deep Well Injection of Concentrate from RO Desalination of Brackish Groundwater of 3,000 mg/L of TDS for 0.2 MGD, 1 MGD, 3 MGD, and 10 MGD Sized Desalination Plants...	3-53
3.3-12	Estimated Hydraulic Conditions and Costs for Deep Well Injection of Concentrate from RO Desalination of Brackish Groundwater of 5,000 mg/L of TDS for 0.2 MGD, 1 MGD, 3 MGD, and 10 MGD Sized Desalination Plants...	3-54
3.3-13	Estimated Hydraulic Conditions and Costs for Deep Well Injection of Concentrate from RO Desalination of Brackish Groundwater of 20,000 mg/L of TDS for 0.2 MGD, 1 MGD, 3 MGD, and 10 MGD Sized Desalination Plants...	3-55
3.3-14	Cost Estimate Summary for RO Desalination of 1,500 mg/L Brackish Groundwater from the Dockum Aquifer for 0.2 MGD, 1 MGD, 3 MGD, and 10 MGD Raw Water Supplies – Deaf Smith County	3-56
3.3-15	Cost Estimate Summary for RO Desalination of 3,000 mg/L Brackish Groundwater from the Dockum Aquifer for 0.2 MGD, 1 MGD, 3 MGD, and 10 MGD Sized Desalination Plants – Deaf Smith County.....	3-57
3.3-16	Cost Estimate Summary for RO Desalination of 5,000 mg/L Brackish Groundwater from the Dockum Aquifer for 0.2 MGD, 1 MGD, 3 MGD, and 10 MGD Sized Desalination Plants – Deaf Smith County.....	3-58
3.3-17	Cost Estimate Summary for RO Desalination of 20,000 mg/L Brackish Groundwater from the Dockum Aquifer for 0.2 MGD, 1 MGD, 3 MGD, and 10 MGD Sized Desalination Plants – Parmer-Castro-Lamb Counties.....	3-59
3.3-18	Cost Estimate Summary for RO Desalination of Brackish Groundwater from the Dockum Aquifer for 0.2 MGD, 1 MGD, 3 MGD, and 10 MGD Sized Desalination Plants – Deaf Smith and Parmer-Castro-Lamb Counties.....	3-61